

GC1350



Description

1.4 Megapixel CCD camera with GigE Vision



The 1.4 Megapixel GC1350 is a high-resolution CCD camera with Gigabit Ethernet interface (GigE Vision®). The GC1350 incorporates a high-quality Sony ½" CCD sensor providing excellent monochrome and color image quality. The GC1350 runs 20 frames per second at 1360x1024 resolution and even faster with region of interest readout.

- High resolution - 1.4 megapixels (1360x1024)
- Sony ICX205 ½" Progressive scan CCD
- **Models:**
 - GC1350, 1360x1024, 20 fps, CCD, mono
 - GC1350C, 1360x1024, 20 fps, CCD, color

Specifications

Prosilica GC		1350	
Interface	IEEE 802.3 1000baseT		
Resolution	1360 x 1024		
Sensor	Sony ICX205		
Type	CCD Progressive		
Sensor Size	Type 1/2		
Cell size	4.65 µm		
Lens mount	C		
Max frame rate at full resolution	20 fps		
A/D	12 bit		
On-board FIFO	16 MB		
Output			
Bit depth	8/12 bit		
Mono modes	Mono8, Mono12, Mono16		
Color modes YUV	YUV411, YUV422, YUV444		
Color modes RGB	RGB24, BGR24, RGBA24, BGRA24		
Raw modes	Bayer8, Bayer12, Bayer16		
General purpose inputs/outputs (GPIOs)			
TTL I/Os	1 input, 1 output		
Opto-coupled I/Os	1 input, 1 output		
RS-232	1		
Power/Mass/Dimensions/Regulations			
Power requirements (DC)	12 V		
Power consumption (12 V)	3 W		
Mass	100 g		
Body Dimensions (L x W x H in mm)	59x46x33 including connectors, w/o tripod and lens		
Regulations	CE, FCC, Class A, RoHS		

[Download Prosilica GC1350 technical drawing \(click here\)](#)



Smart features

The GC1350 features include:

- Auto Exposure
- Auto Gain
- Auto White balance
- Flexible Binning
- Region of Interest readout (AOI partial scan)
- StreamBytesPerSecond (easy bandwidth control)
- Stream hold
- Asynchronous external trigger and sync I/O
- Global shutter (digital shutter)
- Recorder and Multiframe Acquisition Modes

Applications

The GC1350 is ideal for a wide range of applications including:

- industrial inspection
- machine vision
- ophthalmology
- aeronautical and aerospace
- public security
- surveillance
- traffic imaging
- OEM applications