

## INTERCOM HEADSETS (MINIATURE 4PIN XLR CONNECTOR)

---



ALTAIR headsets can be ordered with standard size 4pin XLR connector (reference name starting with "AM-") or with miniature 4pin XLR (reference name starting with "WAM-").

**All the following models feature a miniature 4pin XLR connector (female).**

### **WAM-100 & WAM-100/2**

*WAM-100* (dual earpad, image above) and *WAM-100/2* (single earpad, image below) are ALTAIR's most used wireless intercom headsets. Reliable and long lasting, these models perform great in a wide variety of situations. All spare parts are available for proper maintenance.



### **WAM-100/S & WAM-100/2S**

Both "S" models implement interesting advantages: better noise insulation and rotatable microphone boom. Microphone is switched ON/OFF when moving the microphone UP/DOWN. These models are strongly recommended for those professionals working in loud environments. All spare parts can be ordered for proper maintenance. (Image: WAM-100S dual earpad headset, left ; WAM-100/2S single earpad headset, right)



(<http://www.altairaudio.com>)

/images/productos/sistemas-intercom-inalambrico/accesorios/WAM-100s-768x650.jpg)



(<http://www.altairaudio.com>)

/images/productos/sistemas-intercom-inalambrico/accesorios/WAM-100-2s-768x650.jpg)

## WAM-100/2L & WAM-100/2SEC

These two models were added to the catalogue in order to ensure the suitability of our systems to every user and situation.

*WAM-100/2L* (left) can be used as seen in the picture or using the included over-the-ear accessory in order to make it even less visible. *WAM-100/2SEC* (right) is perfect for those applications requiring an almost invisible headset. It's also suitable for communications between TV hosts and production teams. Two different microphone operation modes: PTT (Push To Talk) and VOX (always active).

Both models require phantom power (provided by ALTAIR beltpacks). Spare parts for these models are not available.



(<http://www.altairaudio.com/images>

[/productos/sistemas-intercom-inalambrico/accesorios/WAM100-2-sec.jpg](http://www.altairaudio.com/productos/sistemas-intercom-inalambrico/accesorios/WAM100-2-sec.jpg)) (<http://www.altairaudio.com/images/productos/sistemas-intercom-inalambrico/accesorios/Wam-100-2L-591x709.jpg>)

