

Blackmagic Studio Fiber Converter



Blackmagic Studio Fiber Converter Technical Specifications

Description

Work with remote cameras up to 2 km away from your studio or outside broadcast truck using SMPTE fiber. The Blackmagic Studio Fiber Converter converts SDI video, audio, and remote camera control connections into a single optical fiber cable, which connects to a Blackmagic Camera Fiber Converter attached to a remote camera. All video and data are transmitted using standard IP for extremely low latency broadcast quality video. You get 12G-SDI for an HD or Ultra HD camera feed and 3 independent HD return feeds, along with standard connections for camera control, PTZ, two dual channel talkback intercoms, tracker talkback, tally and a 5 inch LCD screen for monitoring camera and return feeds. The Blackmagic Studio Fiber Converter also provides power for your remote cameras and accessories.

Blackmagic Fiber Converters

All

Blackmagic Camera Fiber Converter

Blackmagic Studio Fiber Converter

Blackmagic Studio Fiber Rack Kit

Blackmagic URSA Broadcast

ATEM Production Studio 4K

ATEM 2 M/E Production Studio 4K

ATEM 4 M/E Broadcast Studio 4K

ATEM 1 M/E Advanced Panel

ATEM 2 M/E Broadcast Panel

HyperDeck Studio Mini

