



For Security
Fixed Focal

MP MEGA PIXELS

HF35SR4A-SA 1

Applicable camera (model)

1 2/3 1/2 1/3 1/4

Coming soon



This is image.

- High image-quality surveillance with optical performance supporting 5 megapixels.
- Advanced surveillance is possible in combination with 2/3" cameras seeking high performance.
- Chromatic aberration is reduced to the limit by utilizing advanced design engineering and special optic glass.
- Best suited for high performance Day and Night cameras.

FIXED
Fixed Focal

5 Mega
For Megapixel Camera

Day~Night
Day & Night



DC
DC Auto Iris

C-mt
C Mount

METAL
Metal Mount

ND
ND Filter

RoHS
RoHS Compliant



Focal Length (mm)		35	Object Dimensions at M.O.D. (H×V) (mm) 4:3	2/3"	191 × 143
Iris Range		F2.0 ~ T360		1/2"	139 × 104
Operation	Focus	Manual		1/3"	104 × 78
	Iris	Auto (DC Type) (*1)	Object Dimensions at M.O.D. (H×V) (mm) 16:9	2/3"	208 × 117
Angle Of View (H×V)	2/3"	14°20' × 10°46'		1/2"	151 × 85
	1/2"	10°27' × 7°51'		1/3"	114 × 64
	1/3"	7°51' × 5°53'	Back Focal Distance (in air) (mm)		19.65
Angle Of View (H×V) 16:9	2/3"	15°36' × 8°48'	Exit Pupil Position (From Image Plane) (mm)		-68
	1/2"	11°22' × 6°25'	Filter Thread (mm)		M40.5 × 0.5
	1/3"	8°33' × 4°49'	Mount		C
Focusing Range (From Front Of The Lens) (m)		∞ ~ 0.75	Mass (g)		TBA
Remarks	• With Metal Mount (*1) When power is turned off, iris will automatically close. HF35SR4A-1:Manual Iris Type		Coil Resistance	Drive Coil	190Ω
			Current Consumption	Damping Coil	1,150Ω
					23mA (Max.) at DC 4V

FIXED FOCAL LENGTH LENSES MP



For Security
Fixed Focal

MP MEGA PIXELS

HF50SR4A-SA 1

Applicable camera (model)

1 2/3 1/2 1/3 1/4

Coming soon



This is image.

- High image-quality surveillance with optical performance supporting 5 megapixels.
- Advanced surveillance is possible in combination with 2/3" cameras seeking high performance.
- Chromatic aberration is reduced to the limit by utilizing advanced design engineering and special optic glass.
- Best suited for high performance Day and Night cameras.

FIXED
Fixed Focal

5 Mega
For Megapixel Camera

Day~Night
Day & Night



DC
DC Auto Iris

C-mt
C Mount

METAL
Metal Mount

ND
ND Filter

RoHS
RoHS Compliant



Focal Length (mm)		50	Object Dimensions at M.O.D. (H×V) (mm) 4:3	2/3"	179 × 134
Iris Range		F2.8 ~ T360		1/2"	130 × 97
Operation	Focus	Manual		1/3"	97 × 73
	Iris	Auto (DC Type) (*1)	Object Dimensions at M.O.D. (H×V) (mm) 16:9	2/3"	195 × 109
Angle Of View (H×V)	2/3"	10°03' × 7°33'		1/2"	142 × 80
	1/2"	7°19' × 5°30'		1/3"	106 × 60
	1/3"	5°30' × 4°07'	Back Focal Distance (in air) (mm)		19.16
Angle Of View (H×V) 16:9	2/3"	10°57' × 6°10'	Exit Pupil Position (From Image Plane) (mm)		197
	1/2"	7°58' × 4°29'	Filter Thread (mm)		M40.5 × 0.5
	1/3"	5°59' × 3°22'	Mount		C
Focusing Range (From Front Of The Lens) (m)		∞ ~ 1.0	Mass (g)		TBA
Remarks	• With Metal Mount (*1) When power is turned off, iris will automatically close. HF50SR4A-1:Manual Iris Type		Coil Resistance	Drive Coil	190Ω
			Current Consumption	Damping Coil	1,150Ω
					23mA (Max.) at DC 4V