

# Blitz 400 Pro Wireless Uncompressed 3G-SDI/HDMI Video Kit

## With Dual Receivers

---




**Model:** BZ400-2R-KIT

---

### Features

- Transmits uncompressed with zero delay wireless video
  - Includes two receivers and hard case
  - 3G-SDI and HDMI inputs and outputs
  - Up to 984 feet line of sight range
  - Best performance within 400 feet range
  - Supports Sony L series batteries
  - Includes 3 Sony L series batteries and dual channel
  - Supports up to 4 receivers connected to 1 transmitter
- 



	Transmitter	Receiver
<b>Interface</b>	3G-SDI Input (BNC Female) HDMI Input (Type A Female) 2 x Antenna Ports (RF-2 SMA Male) DC Input (4 pin LEMO Female)	3G-SDI Input (BNC Female) HDMI Output (Type A Female) DC Input (4 pin LEMO Female)
<b>Input Voltage</b>	7 - 36V DC	7 - 36V DC
<b>Power Consumption</b>	<6.5W	<6.5W
<b>Dimensions</b>	115 x 67 x 23 mm	152 x 95 x 23 mm
<b>Weight</b>	270g	355g
<b>Input Video Format</b>	HDMI: 525i, 625i, 720p 50/59.94/60, 1080i 50/59.94, 1080p 23.98/24/25/29.97/30/50 /59.94/60 SDI: 3G, HD, and SD-SDI (Auto Selected) SMPTE-259/274/292/296/372/424/425	HDMI: 525i, 625i, 720p 50/59.94/60, 1080i 50/59.94, 1080p 23.98/24/25/29.97/30/50 /59.94/60 SDI: 3G, HD, and SD-SDI (Auto Selected) SMPTE-259/274/292/296/372/424/425
<b>Output Video Format</b>		
<b>Input Audio Format</b>	SDI Embedded 4 Channel 24-bit / 48KHz	
<b>Audio Output</b>		SDI Embedded 4 Channel 24-bit / 48KHz
<b>Signal Indicators</b>	Power: Green / Video: Yellow	Power: Green / Wireless Signal 5 x Green Video: Yellow
<b>Frequency Bands</b>	5.1 - 5.9 GHz	5.1 - 5.9 GHz
<b>Modulation Mode</b>	OFDM 16QAM	OFDM 16QAM
<b>Transmission Power</b>	Max 18 dBm	
<b>Receiver Sensitivity</b>		-75 dBm
<b>Band</b>	40MHz	40MHz
<b>Operating Temperature</b>	0°C ~ 40°C (Operating) -20°C ~ 60°C (Storage)	0°C ~ 40°C (Operating) -20°C ~ 60°C (Storage)
<b>Compliance</b>	FCC, CE	FCC, CE

#### WHAT'S INCLUDED:

1 X Dual Sony L Series Battery Charger  
 1 X Hard Case  
 1 X Shoemount Adapter For Transmitter  
 1 X Transmitter  
 2 X 5GHz Antennas (SMA Female)  
 2 X Articulating Arm  
 2 X Clamp  
 2 X Receiver  
 3 X P-Tap To Lemo Compatible Cables  
 3 X Sony L Series Battery Plates (Installed)  
 3 X Sony L Series Style Batteries

#### DOWNLOADS:

[BZ400 One Sheet](#)  
[BZ400 Quick Start Guide](#)

#### SPECIFICATIONS:

Shipping Dimensions:	16.2 x 6.2 x 17.5 in.
Shipping Dimensions (Metric):	41.3 x 15.8 x 44.5 cm
Shipping Weight:	14 lbs
Shipping Weight (Metric):	6.3 kg

