

Blitz 400 Pro Wireless Uncompressed 3G-SDI/HDMI Video Kit


With DH7 1920 x 1200 HDMI On-Camera Field Monitor



Model: BZ400-DH7-KIT

Features

- Transmits uncompressed w/ zero delay wireless
 - Includes DH7 7" monitor
 - 3G-SDI and HDMI inputs and outputs
 - Up to 984 feet line of sight range
 - Best performance within 400 feet range
 - Supports Sony L series batteries
 - Supports up to 4 receivers connected to 1 transmitter
-



	Transmitter	Receiver
Interface	3G-SDI Input (BNC Female) HDMI Input (Type A Female) 2 x Antenna Ports (RF-2 SMA Male) DC Input (4 pin LEMO Female)	3G-SDI Input (BNC Female) HDMI Output (Type A Female) DC Input (4 pin LEMO Female)
Input Voltage	7 - 36V DC	7 - 36V DC
Power Consumption	<6.5W	<6.5W
Dimensions	115 x 67 x 23 mm	152 x 95 x 23 mm
Weight	270g	355g
Input Video Format	HDMI: 525i, 625i, 720p 50/59.94/60, 1080i 50/59.94, 1080p 23.98/24/25/29.97/30/50 /59.94/60 SDI: 3G, HD, and SD-SDI (Auto Selected) SMPTE-259/274/292/296/372/424/425	HDMI: 525i, 625i, 720p 50/59.94/60, 1080i 50/59.94, 1080p 23.98/24/25/29.97/30/50 /59.94/60 SDI: 3G, HD, and SD-SDI (Auto Selected) SMPTE-259/274/292/296/372/424/425
Output Video Format		
Input Audio Format	SDI Embedded 4 Channel 24-bit / 48KHz	
Audio Output		SDI Embedded 4 Channel 24-bit / 48KHz
Signal Indicators	Power: Green / Video: Yellow	Power: Green / Wireless Signal 5 x Green Video: Yellow
Frequency Bands	5.1 - 5.9 GHz	5.1 - 5.9 GHz
Modulation Mode	OFDM 16QAM	OFDM 16QAM
Transmission Power	Max 18 dBm	
Receiver Sensitivity		-75 dBm
Band	40MHz	40MHz
Operating Temperature	0°C ~ 40°C (Operating) -20°C ~ 60°C (Storage)	0°C ~ 40°C (Operating) -20°C ~ 60°C (Storage)
Compliance	FCC, CE	FCC, CE

WHAT'S INCLUDED:

1 X AC Adapter (for DH7)
 1 X Articulating Arm
 1 X Camera Shoe Mount
 1 X Clamp
 1 X DH7 Monitor
 1 X Hard Case
 1 X Receiver
 1 X Shoemount Adapter For Transmitter
 1 X Sony L Series Battery Plate (for DH7)
 1 X Sun Hood
 1 X Transmitter
 2 X 5GHz Antennas (SMA Female)
 2 X P-Tap To Lemo Compatible Cables
 2 X Sony L Series Battery Plates (Installed)

DOWNLOADS:

[BZ400 Quick Start Guide](#)
[DH7 One Sheet](#)
[DH7 Quick Start Guide](#)
[BZ400 One Sheet](#)

SPECIFICATIONS:

Shipping Dimensions: 16.2 x 6.2 x 17.5 in

