C-4LC/4LC

4 LC Fiber Optic Cable

Kramer's C-4LC/4LC is constructed of four color coded multi-mode 50/125um simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall orange jacket. It is intended primarily as a companion to various Kramer detachable transmitter/receiver sets

FEATURES

- Quality Construction - Multimode optical fiber with an operating wavelength of 850nm. Sub−cables are color coded: red, green, blue and orange, terminated with the popular LC connectors for easy installation and are shipped with dust caps at the ends
- Numerous Applications - Use these cables to connect our optical transmitter and receivers for DVI and HDMI, such as: 610T/R, 621T/R and 631T/R
- Varied Selection of Lengths - Available in versions of 33 to 1640ft (10 to 500m)

TECHNICAL SPECIFICATIONS

FIBER:	Multimode 50/125µm optical fiber
FIBER CORD:	PVC (OFNR) 2.0 x 4
OUTER DIAMETER:	7.0mm (0.275in), orange
OPERATING WAVELENGTH:	850nm
INSERTION LOSS:	0.3dB
TEMPERATURE:	−40° to 80°C (−40° to 176°F)

CONFIGURATIONS

C-4LC/4LC-33	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-66	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-99	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-164	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-200	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-328	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-656	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-984	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-1640	4 LC (M) to 4 LC (M) Fiber Optic Cable