



C-HM/DM

HDMI to DVI Cable

| DVI | HDMI | 4K HDR



Kramer's C-HM/DM is a high-performance cable with an HDMI connector at one end and a DVI connector at the other. It is designed to connect between digital video sources and displays and recorders that don't have both DVI and HDMI connectors

FEATURES

Quality Construction - HDMI to DVI Single Link (18+1 pin) cable provides excellent conductivity at high frequencies and longevity without degradation

High Quality Connectors - Gold-plated connectors resist corrosion and offer the best possible connectivity

Varied Selection of Lengths - Available in versions of 0.15 to 15.2m (0.5, 3, 6, 10, 15, 25, 35, and 50ft)



TECHNICAL SPECIFICATIONS

PHYSICAL	HDMI Connector Male HDMI type A, 24K K-lock connector
	DVI Connector Male DVI (18+1) gold plated connector
	Cable Shield Triple Shielding eliminates RF and EM interference
	Conductors 0.5-25ft -28AWG, 35-50ft -26AWG
	Cable Jacket Material PVC
	Cable Jacket Color Gray
	Cable Diameter 0.5-25ft -7mm, 35-50ft - 9mm
	Cable Bending Radius 0.5-25ft -70mm, 35-50ft -90mm
ELECTRICAL	Operating Temperature -20~+80°C
	Dielectric strength AC- 750V/1sec MIN
	Conductor resistance 28AWG-237Ω/KM MAX. at 20°C
REGULATORY	NEC-UL/CSA CMG-CL3/FT4





CONFIGURATIONS

C-HM/DM-0.5	HDMI (M) to DVI (M) Cable
C-HM/DM-3	HDMI (M) to DVI (M) Cable
C-HM/DM-6	HDMI (M) to DVI (M) Cable
C-HM/DM-10	HDMI (M) to DVI (M) Cable
C-HM/DM-15	HDMI (M) to DVI (M) Cable
C-HM/DM-25	HDMI (M) to DVI (M) Cable
C-HM/DM-35	HDMI (M) to DVI (M) Cable
C-HM/DM-50	HDMI (M) to DVI (M) Cable