

C-USB3/AB

USB 3.0 A (M) to B (M) Cable



Kramer's CUSB3/AB is a SuperSpeed USB 3.0 TypeA male to TypeB male cable used to connect computers and peripherals, such as printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 4.8Gbps

FEATURES

USB 3.0 A Male to B Male

Transfer Rates up to 4.8Gbps - 10x the capability of USB 2.0

Foil & Overall Braid Provide Maximum Protection Against EMI/RFI

Molded Strain Relief

Backward Compatibility - USB Specifications 1.0, 1.1 and 2.0

RoHS Compliant

Varied Selection of Lengths - Available in versions of 3 to 6ft (0.9 to 1.8m)



TECHNICAL SPECIFICATIONS

TYPE: USB 3.0 SuperSpeed

MAX. DATA RATE: 4.8 Gbps

CONNECTOR A: USB 3.0 typeA male

CONNECTOR B: USB 3.0 typeB male

CONNECTOR Nickel

PLATING:

CONDUCTORS: 28/24AWG

CABLE SHIELD

TYPE:

AluminumMylar Foil with Braid

OVERALL SHEATH 5.5mm

DIAMETER:

OUTER SHEATH

COLOR:

Blue

STANDARDS:

2011/65/EU



CONFIGURATIONS

C-USB3/AB-3	USB 3.0 A (M) to B (M) Cable
C-USB3/AB-6	USB 3.0 A (M) to B (M) Cable