



## TP-123


### Computer Graphics Video, Stereo Audio & RS-232 over Twisted Pair Transmitter



Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.



The **TP-123** is a twisted pair transmitter for computer graphics video, unbalanced stereo audio and RS-232 data signals. The **TP-123** converts computer graphics, audio, and RS-232 inputs to a twisted pair signal, and the **TP-124** converts the twisted pair signal back into computer graphics, audio and RS-232 data signals.





## TP-123

---

### FEATURES

---

- HDTV Compatible.
- Max. Resolution - WUXGA & 1080p.
- Twisted Pair Connectors - RJ-45 connectors.
- System Range - Up to 100m (320ft). Greater distances possible depending on resolution and cable.
- Power Connect™ System - Only one unit in a system, the transmitter or the receiver needs to be connected to a power source when the devices are within 50m (150ft) of each other.
- Uni-Directional RS-232 - Maximum bitrate 19200bps.
- RS-232 Connect™ System - The unit can send RS-232 commands on the twisted pair cable on top of the video signal. All the system units must have RS-232 Connect to use this feature.
- Compact Kramer TOOLS™ - 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.
- Cable - UTP (unshielded twisted pair) or STP (shielded twisted pair) such as CAT 5.

### TECHNICAL SPECIFICATIONS

---

INPUT:	Video: 1VGA/UXGA on a 15-pin HD connector; Audio: 1 audio ANALOG 3.5mm mini jack.
OUTPUTS:	1 RJ-45 OUT connector.
S/N RATIO:	Video: 58dB unweighted, 68.3dB @5MHz weighted; Audio: <-80dB.
TOTAL GAIN:	Audio: Analog/analog: 0dB; Analog/SPDIF: -12dBFS.
COUPLING:	AC.
THD+N Audio:	<0.01%.
COMMUNICATION:	RS-232 on 2-pin terminal block; maximum bitrate 19200bps.
MAX. RESOLUTION:	WUXGA & 1080p.
POWER SOURCE:	12V DC, 60mA.
DIMENSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98") W, D, H.
WEIGHT:	0.3kg (0.67lbs) approx.
ACCESSORIES:	Power supply.
OPTIONS:	RK-3T 19" rack adapter.