

KRAMER ELECTRONICS, Ltd.

VM-8H (previously VM-8HDMI)

1:8 HDMI Distribution Amplifier





The VM-8H is a distribution amplifier for HDMI signals. It reclocks and equalizes the signal and distributes it to 8 identical outputs.



www.kramerelectronics.com

VM-8H (previously VM-8HDMI)

FEATURES

- Max. Data Rate 2.25Gbps.
- HDTV Compatible.
- HDCP Compliant.
- HDMI Support HDMI (V.1.4 with Deep Color, x.v.Color[™], Lip Sync, CEC).
- 3D Pass-Through.
- I-EDIDPro[™] Kramer Intelligent EDID Processing[™] - Intelligent EDID handling & processing algorithm ensures Plug and Play operation for HDMI systems.
- Kramer Equalization & re-Klocking[™] Technology - Rebuilds the digital signal to travel longer distances.
- Active Output LED Indicators.
- Worldwide Power Supply 100-240V AC.
- Standard 19" Rack Mount Size 1U. Rack "ears" included.

TECHNICAL SPECIFICATIONS

INPUT:	HDMI connector.
OUTPUTS:	8 HDMI connectors.
BANDWIDTH:	Supports up to 2.25Gbps per graphic channel.
COMPLIANCE WITH HDMI STANDARD:	Supports HDMI 1.3a and HDCP.
CONTROLS:	SELECT and READ buttons for selecting and storing EDID information.
INDICATOR LEDs:	OUTPUT STATUS 1 to 8.
POWER SOURCE:	100-240V AC, 50/60Hz 25VA.
DIMENSIONS:	19" x 7" x 1U W, D, H, rack mountable.
WEIGHT:	3.5kg (7.7lbs) approx.
ACCESSORIES:	Power cord.
OPTIONS:	HDMI/HDMI male-to-male cables.