

DMT-10

Digital-Textmodule and Timer, for Small Centrals with Module compartment or ME-2A/4A



Description

Description

The DMT-10 digital announcement module has been especially developed for installation in the compartment provided for this purpose on the PA centers. It can be installed in a module pre-amplifier (ME-2 A) or other PA amplifiers.

The device is used as an advertising text unit or playing attention signals (chime). The start of the texts are made by a programmable timer, external switches or from a desktop microphone unit.

Please consider the following features:

- Direct selection of 6 memory texts on Front keys, external contacts or desktop microphone unit.
- Timer function for 26 texts / signals with weekly function
- Connecting a radio receiver DCF-77 to control the internal quartz clock (summer and winter time).
- Connecting an alarm contact for a priority signal with priority function. Contact can be defined as a pulse or continuous contact.
- Recording capability of the texts on the front side LINE signal or dynamic microphone.
- Uploading the texts as mp3 or wav files on a microSD-card to the internal storage.
- When used in the amplifier series „Vario-Line“ are 6 texts by the desktop microphone unit controllable.

Technical data	DMT-10
Power supply	15V – 18V DC, via PA center
Current consumption	150 mA
Display	LCD display, two lines; Menu navigation and time display
Release	6 Buttons, 6 Contacts, via Microphone station
Inputs	MIC: -50dB/600Ohms, LINE: -10dB/10kOhms unbal.
Outputs	Audio Out: -10dB unbal.; Headphone jack 3,5mm; jack: 24mW >- 64 ohms
Media	microSD – Card
Data type	mp3, wav
Storage capacity	M1 – M6 each 2176 kB (360 sec.); VOICE1 – VOICE20 each 128 kB (23 sec.)
Storage duration	Text memory permanent, non-volatile
Dimensions (WxHxD)	194 x 40 x 85 mm
Weight	0,27 kg

