

MEDIA + SOUND CENTER

RCS[®]
mobile sound



- Videopresentations and Conferences
- Advertising and Sales Promotion
- Exhibitions and Fairs
- Hotels, Seminars and Sporting Events

DVD
VIDEO

DOLBY
DIGITAL 5.1





16 Frequencies!



- Vision & Sound
- High-Performance Amplifier
- Dual System
- Selectable Frequencies
- Voice Over Function (adjustable)

This device is equipped with a DVD-Player, a digital MP3-Player and UHF wireless technology. Therefore this portable system is suitable for any kind of performance. Connect this device to a video reproducer (e.g. projector, monitor), presentations on a professional level are possible.



Due to the clarity of the operating elements and useful accessories, such as a serial remote control for the DVD-Player, this device is very userfriendly. The integrated battery allows operation, completely independent of the mains supply over a longer period of time.

The device contains, depending on the specification, either a 1- or 2-Channel UHF receiver system. 16 optional frequencies, which are free of registration (863-865 MHz), enable trouble-free operation. In combination with the Headset-, Lavalier- or

Neckworn-Microphone, the Bodypack-Transmitter MB-106 or the UHF Hand Microphone MH-106 can be used as a sending device.

With help of the passive auxiliary speaker MSC-1000 ZL the degree of system efficiency can be improved. In order to expand the power of the unit it is reasonable to use an additional active speaker (SR-120). Very large locations can be irradiated acoustically in a correct way.

Integrated Audio & Video Module

The serial integrated disc offers a wide range of possibilities to the operator. The DVD-Player plays a diversity of formats such as VCD, SVCD, MP-3, CD-R or CD-RW, besides customary DVD's. With help of a remote control, which is included, you can activate all the common functions of the DVD-Player.



Different audio- and video outputs, matching the desired demands, are provided by the system.

The MP3-Player enables the recording and replay of any spoken passage via the internal memory (128 MB).




Depending upon the requirements, the memory card can be expanded with a customary SD-Card. The logging of a large presentation or an event is very easy with this device.

*

MEDIA & SOUND CENTER, 130 W.....MSC-1000 U1
with integrated 1-Channel UHF-Receiver

MEDIA & SOUND CENTER, 130 W.....MSC-1000 U2
with integrated 1-Channel UHF-Receiver

Auxiliary Speaker, 130WMSC-1000 ZL
passive, for Media & Sound Center



UHF-Accessories:

UHF-Hand Microphone

This UHF-Hand Microphone is equipped with a premium condenser microphone capsule. Mute-Function for noise free switch on. The power supply results from 2 Mignon-Batteries.



CE0678

UHF-Hand Microphone (863-865 MHz) **MH-016**

UHF-Bodypack (for LA-100 or HS-100)

Bodypack-Transmitter with 16 eligible frequencies. The input sensitivity is changeable in order to be able to induct Mic- and Line signals. The power supply results from 2 Mignon-Batteries.



CE0678

UHF-Bodypack (863-865 MHz) **MB-016**

Lavalier-Microphone

Condenser microphone completed in ball-characteristic. Delivery includes an 90 cm long connecting cable and a clip.




LA-100

Lavalier-Microphone **LA-100**

Headset or Neckworn-Microphone

Condenser-Neckworn microphone, completed in ball-characteristic. High carrying comfort, matching the Bodypack-Transmitter MB-016. Cable length approx. 100 cm.



HS-100

CM-100

Headset-Microphone **HS-100**

Neckworn-Microphone **CM-100**

Adapter-Cable (LINE), 1 m **AC-200 C**

Adapter-cable for the input of external linesignals into the bodypack MB-016. Assembly: Cinch to Jack 3,5 mm.

MEDIA & SOUND CENTER - Accessories

Carriage and Storage Cover



High-quality, weatherproof vinyl fabric cover for carriage, while use and storage of the MSC-1000.

Carriage and Storage Cover

for MSC-1000ZL **VC-1000**

Carriage and Storage Case



Lockable, sturdy case, made of alu comp., foam cut interior and additional space for accessories.

Carriage and Storage Case

for MSC-1000ZL **SK-1000**

Carriage and Storage Bag

This rip-proof, water resistant, vinyl and fabric bag has two inner pockets for up to three stands, a zip closure and carry handles.



Carriage and Storage Bag **CB-130**

for up to 2 speaker tripods and 1 mic stand

Connecting Cable, 30 m for auxiliary speaker **AC-100**

Auxiliary Speaker

With help of the passive auxiliary speaker MSC-1000 ZL the degree of system efficiency can be improved.

Auxiliary Speaker, 130W **MSC-1000ZL**

passive, for Media & Sound Center

Floor Stand

This stable floor stand for the MSC-1000 series is made of aircraft aluminium and weighs only 3.2 kg. It is continuously adjustable and enables an adaptability for various localities.

Floor Stand **QST-185**

for MSC-1000 or Auxiliary Speaker MSC-1000 ZL



Technical Data	MSC-1000 U1 / U2
RMS / Program rate	90 W / 130 W
Power AC	100-240 V, 50-60 Hz; AC/DC Adapter
Power DC	Battery 12 V (7 Ah)
Operating time Battery	max. 5 hours
Charging time Battery	ca. 10 hours
Input Mic.	1 x Mic (plug 6,3 mm)
Input Mic. UHF (16 Ch.)	optional 1 or 2 x wireless
Input AUX	1 x AUX (Cinch)
Output Line	1 x Line-out (Cinch)
Output Speaker (16 Ohm)	1 x Speakon
UHF-Receiver System	UHF 16 Frequencies (863-865 MHz)
Tone regulation	2-times (Highs + low separate)
Speaker	8" broadband + 2"tweeter
Weight	approx. 16 kg
Dimensions in mm	266 (W) x 410 (L) x 266 (D)

Technical Data	DVD-Player
Format Disc	DVD / SVCD / VCD / CD-R / CD-RW / MP3
Format Video	MPEG1, MPEG2
Format Audio	Dolby Digital
Output Signal	Video-Signal: NTSC or PAL Video: 1.0VP-P Audio: 1 V
Output Interface	1 x TV output (Cinch) 1 x VGA D-SUB 1 x coaxial digital 5.1 CH
Inputs AUX	TV-in (Cinch) Audio L-R (Cinch)
Frequency	20 Hz ~ 20 KHz
Input DVD-Player	1 x Mic (3,5 mm jack)
Output DVD-Player	1 x Headphones (3,5 mm plug)
Remote control	included in delivery

Technical Data	MP3-Player
Internal Memory	128 MB
Expansion of Memory	SD-Card up to 1 GB
Internal recording	up to 60 min. (48 k)
USB-Version	1.1 (USB cable included in delivery)
EQ	Jazz, Classic, Rock, Pop, Normal
Display	LCD with backlight
Functions	Repeat A-B, Recording

*