SONY

HDVF-200

2-inch HD electronic viewfinder





Overview

2-inch HD viewfinder for Sony 2/3-inch HD cameras/camcorders The HDVF-200 is a low cost eye-piece type viewfinder.

Tally lights front and rear

Front tally lights up when the camera/camcorder receives a tally control signal. Rear tally lights up when the camera/camcorder receives a tally control signal.

HDVF-200 1



Features

Tally indicator (rear)

Lights up when the camera/camcorder receives a tally control signal. This indicator can be covered when not in use.

Tally indicator (front)

Lights up when the camera/camcorder receives a tally control signal. Set the TALLY switch 9 to OFF when not in use. The brightness can also be adjusted with the TALLY switch 9.

Peaking control

Turning this control clockwise adjusts the picture sharpness, and makes focusing easier. This control has no effect on the output signals of the camera/camcorder.

Contrast control

Adjusts the contrast of the screen. This control has no effect on the output signals of the camera/camcorder.

Bright control

Adjusts the brightness of the screen. This control has no effect on the output signals of the camera/camcorder.

Tally switch

Controls the tally indicator 5 located on the front of the viewfinder. HIGH: The tally indicator brightness is set to high. OFF: The tally indicator is disabled. LOW: The tally indicator brightness is set to low.

Zebra (zebra pattern) switch

Controls the zebra pattern display on the viewfinder screen as follows: ON: A zebra pattern appears and stays. OFF: The zebra pattern disappears. MOMENT: A zebra pattern appears and stays for about 5 seconds.

Diopter adjustment ring

Allows for optimal focus adjustment.

HDVF-200 2



Compatible Products

4K and HD System Cameras



HSC-100R

Three 2/3-inch Power HAD FX CCD sensors portable HD / SD camera for digital triax operation



HSC-100RF

Three 2/3-inch Power HAD FX CCD sensors portable HD / SD camera for fibre operation



HSC-300R

Three 2/3-inch Power HAD FX CCD sensors portable HD / SD camera for digital triax operation and large lens options



HSC-300RF

Three 2/3-inch Power HAD FX CCD sensors portable HD / SD camera for fibre operation and large lens options