VCT-14

TRIPOD ADAPTOR FOR PORT. CAMERAS/CAMC.

Dimensions: 282(W) x 27(H) x 80(D)mm (11 1/8 x 1 1/8 x 3 1/4 inches) Mass: 900 g (2 lb)

Compatible Products

Pro-Audio

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

High Definition HDC Series

HDC-1400R

Three 2/3-inch Power HAD HD CCD sensors dual format HD system camera with fibre interface

HDC-1450R

Three 2/3-inch Power HAD HD CCD sensors dual format HD system camera with triax interface

HDC-1500R

Three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with fibre interface

HDC-1550R

Three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with triax interface

HDC-3300R

Super Slow Motion three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with fibre interface

HSC-300

Three 2/3-inch Power HAD FX CCD sensors portable SD / HD camera

HDC-1450

HD Portable Camera

HDC-1500

"3G Ready" HD Portable Camera

HDC-1550

HD Portable Camera

35mm World

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Finance, Training and R&D

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Sony 3D Live Production

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Architect & Engineer Specs

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Finance, Training and R&D

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Engage Creatively

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Tech Specs

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Be inspired

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Live Production

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

HDV Camcorders

HVR-S270E

1/3-inch type 3 ClearVid CMOS sensor HDV camcorder with interchangeable lens system recording HD /SD

Inspiration

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

XDCAM Camcorders

PDW-F800

Three 2/3-inch Power HAD FX CCD sensors top-of-the-range XDCAM HD422 camcorder recording full HD / SD

PDW-700

Three 2/3-inch Power HAD FX CCD sensors XDCAM HD422 camcorder recording full HD (plus SD option)

PMW-500

Three 2/3-inch Power HAD FX CCD sensors XDCAM HD422 camcorder recording full HD (plus SD option)

PMW-350K

Three 2/3-inch type Exmor CMOS sensors with 16x zoom HD lens XDCAM EX camcorder recording full HD (plus SD option)

PMW-350L

Three 2/3-inch type Exmor CMOS sensors without lens XDCAM EX camcorder recording HD (plus SD option)

PDW-F355L

Three 1/2-inch type HD Power HAD CCD sensors without lens fully-featured XDCAM HD camcorder recording HD /SD

PDW-F335L

Three 1/2-inch type HD Power HAD CCD sensors without lens XDCAM HD camcorder recording HD /SD

PMW-320K

Three 1/2-inch type Exmor CMOS sensors XDCAM EX camcorder with 16x zoom HD lens recording full HD / SD

PMW-320L

Three 1/2-inch type Exmor CMOS sensors XDCAM EX camcorder without lens recording full HD / SD

PMW-TD300

3D XDCAM EX shoulder camcorder with dual three 1/2-inch type Exmor CMOS sensors recording Full HD / SD, 3D or 2D

PDW-F335K/2

Three 1/2-inch type HD Power HAD CCD sensors with manual focus lens XDCAM HD camcorder recording HD /SD

MSW-970P

MPEG IMX Digital Camcorder, 50Mb/s MPEG-2 data compression, 4:3/16:9 switchable

PDW-530P

The top of the range XDCAM SD camcorder PDW-530P features MPEG IMX/DVCAM-switchable recording and a family of new revolutionary workflow related functionalities.

PDW-510P

The XDCAM camcorder PDW-510P provides DVCAM recording and a family of new revolutionary workflow related functionalities.

HDCAM Camcorders

HDW-F900R

Three 2/3-inch FIT CCD sensors CineAlta camcorder

HDW-650P

Three 2/3-inch Power HAD CCD sensors HDCAM camcorder

HDW-730S

HD camcorder, offering 2.2 million pixels per colour, HDCAM recording and is switchable between 50i and 59.94i operation.

HDW-750P

HD camcorder, offering 2.2 million pixels per colour, HDCAM recording and is switchable between 50i and 25P scanning.

HDW-750PC

HD camcorder, offering 2.2 million pixels per colour, HDCAM recording and is switchable between 50i and 25P scanning (with colour viewfinder)

HDW-790P

HD camcorder, offering 2.2 million pixels per colour, HDCAM recording and is switchable between 50i and 25P scanning.

Sony 3D Digital Cinematography

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

The Customer Experience

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Digital Signage

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Training

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

High Definition System Cameras

HDC-1400R

Three 2/3-inch Power HAD HD CCD sensors dual format HD system camera with fibre interface

HDC-1450R

Three 2/3-inch Power HAD HD CCD sensors dual format HD system camera with triax interface

HDC-1500R

Three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with fibre interface

HDC-1550R

Three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with triax interface

HDC-3300R

Super Slow Motion three 2/3-inch Power HAD HD CCD sensors multi format HD system camera with fibre interface

HSC-300

Three 2/3-inch Power HAD FX CCD sensors portable SD / HD camera

HDC-1450

HD Portable Camera

HDC-1500

"3G Ready" HD Portable Camera

HDC-1550

HD Portable Camera

Embrace 3D

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Networked Production

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Engage Creatively

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

HDV Camcorders

HVR-S270E

1/3-inch type 3 ClearVid CMOS sensor HDV camcorder with interchangeable lens system recording HD /SD

Camcorder Finder

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Be Inspired

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Our Technology

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Be inspired

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Solutions Expertise

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Support

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Be Inspired

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Financial Solutions

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Solutions Expertise

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

Digital Betacam Camcorders

DVW-970P

Three 2/3-inch Power HAD EX CCD sensors 16:9/4:3 Digital Betacam camcorder

XDCAM EX Camcorders

PMW-320K

Three 1/2-inch type Exmor CMOS sensors XDCAM EX camcorder with 16x zoom HD lens recording full HD / SD

PMW-320L

Three 1/2-inch type Exmor CMOS sensors XDCAM EX camcorder without lens recording full HD / SD

www.pro.sony.eu/broadcast