

Quick Base (BMC)



(//Cdn3.volusion.com/akmsw.skkga/v/vspfiles/photos

/161900-2.jpg?1465896875)

(//Cdn3.volusion.com/akmsw.skkga/v/vspfiles/photos/161900-2.jpg?1465896875)

DESCRIPTION

Quick Base (BMC) is a quick release baseplate for the Blackmagic Cinema Camera that provides lightweight 15mm pass through rods. The baseplate can attach to any tripod plate or ARRI standard bridgeplate such as **Unified Bridgeplate (19mm)** ([Http://akmsw.skkgg.servertrust.com/product-p/223100.html](http://akmsw.skkgg.servertrust.com/product-p/223100.html)) or **Unified Bridgeplate (15mm Studio)** ([Http://akmsw.skkgg.servertrust.com/product-p/223200.html](http://akmsw.skkgg.servertrust.com/product-p/223200.html)). When studio rods are not needed, a **Dovetail Clamp** (</Product-p/156700.html>) can be added instead to interface with **2060 Dovetails** (</Product-p/143600.html>), **Safety Dovetails** (</Product-p/151200.html>), or **Shoulder Rigs** (</Category-s/250.htm>).

Additional **Rod Clamp (15mm LW)** ([Http://woodencamera.corecommerce.com/Blackmagic/Rail-Components-BMC/Rod-Clamp-15mm-LW.html](http://woodencamera.corecommerce.com/Blackmagic/Rail-Components-BMC/Rod-Clamp-15mm-LW.html)) can be attached to rear of Quick Dovetail for independent rear rod support.

To quick release out of dovetail/baseplate, turn thumbscrew and depress pin, move camera toward rear, and remove.

Download Instruction Guide. (</V/vspfiles/instruction-sheets/Quick-Release-Instructions.pdf>)

Features:

- 1/4-20 and 3/8-16 holes for attaching accessories
- Quick release slot based on ARRI standard dovetail
- 1/4-20 and 3/8-16 holes on bottom for attaching to tripod or bridgeplate

Additional Options:

- **Rosette Bracket** (</Product-p/163400.html>) - attaches to Quick Base front, provides ARRI standard rosettes for attaching handles and extensions
- **GO Shoulder** (</Product-p/163500.html>) - attaches to Quick Base rear, low profile shoulder pad for run and gun shooting

Includes:

- (1) 1/4-20 low profile screw

SPECIFICATIONS:

Weight: 447g (1.0 lbs)

Dimensions: 107.9 x 111.1 x 43.1 mm (4.2 x 4.4 x 1.7 in)

