

WC V-Mount (Epic/Scarlet)



(//Cdn3.volusion.com/akmsw.skkga/v/vspfiles/photos

/167000-2.jpg?1498744578)

(//Cdn3.volusion.com/akmsw.skkga/v/vspfiles/photos/167000-2.jpg?1498744578)

Wooden Camera brand V-Mount plate utilizing an IDX V-Mount and RED Epic/Scarlet LEMO compatible connector. This plate is wired correctly to display RED Brick and smart V-mount battery percentage on displays.

8" cable exits the right side of the plate allowing easy insertion into the camera. Design allows minimal cable excess while still being able to reach additional modules when necessary.

Custom lengths available up to 6ft at the standard price. Additional lengths available as needed. Send us an email with your requirements: Info@woodencamera.com ([Mailto:info@woodencamera.com?subject=Custom%20Wooden%20Camera%20V-Mount](mailto:Info@woodencamera.com?subject=Custom%20Wooden%20Camera%20V-Mount))

2x D-Tap ports for accessory power.

Mounting Options:

To mount the WC V-Mount onto the back of the Epic/Scarlet one of these items is required:

Quick Back V2 (</Product-p/159400.html>) - a quick release plate that can attach to the back of the brain or any RED module

Fixed Back (</Product-p/159400.html>) - a bolt on battery mount that can only attach to the brain

For an adjustable mount system attached to rods, use the **Battery Slide** (</Product-p/156600.html>) or **Recorder Slide** (</Product-p/191100.html>) paired with the appropriate Rod Clamp: **Rod Clamp (15mm LW)** (</Product-p/150200.html>), **Rod Clamp (15mm Studio)** (</Product-p/150300.html>), and **Rod Clamp (19mm)** (</Product-p/150400.html>).

Connectors used in this assembly are not manufactured by LEMO but are made to the same specifications and are LEMO compatible.

SPECIFICATIONS:

Weight: 227g (0.5 lbs)

Dimensions: 143.2 x 92 x 21.9 mm (5.6 x 3.6 x 0.9 in)

